

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20080055158"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:33
L2	1	"20050201415" and ("MAC"with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:33
L3	1	(L1 L2) and (Kalman near10 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:33
L4	19	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same (information data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:34
L5	738	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:37
L6	0	((Mauricio Sanchez). inv. HP.asn. ("hewlett. asn")) and L5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:37

L7	8	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:37
L8	3838	(Kalman adj4 filter) and (access\$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:38
L9	344	(Kalman adj4 filter) same (access\$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:38
L10	1	(Kalman adj4 filter) same (access\$3 adj3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:38
L11	1	((Kalman adj4 filter) same ("ICMP" "SNMP"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:39
L12	24	((Kalman adj4 filter) and ("ICMP" "SNMP"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:40
L13	2	((Kalman adj4 filter) and ("ICMP" "SNMP")) same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:40
L14	36477	((342/464) or (342/451) or (342/463) or (370/252) or (370/254) or (370/351) or (370/331) or (370/428) or (709/223- 225)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/22 07:43

L15	13	14 and 9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:44
L16	10	14 and 12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/22 07:44
S2	689	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5)same protocol	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:47
S3	638	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5)same ((SNMP) or (ICMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:48
S4	622	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:49
S5	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) same ((analys \$3 collect\$3 manag\$5) near10 (Kalman adj4 filter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:54
S6	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and ((analys\$3 collect\$3 manag\$5) near10 (Kalman adj4 filter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:54

S7	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 09:56
S8	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:38
S9	6	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:38
S10	0	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) and (Kalman adj4 filter) and (access \$3 near20 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:40
S11	5	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network near5 manag \$5) near20 ((SNMP) or (ICMP)) same (access \$3 near20 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/05 10:40
S12	7064	(network near5 manag \$5 near5 messag\$3) near20 (simple near5 network nea5 manag \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:10
S13	277	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:11

S14	133	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14
S15	12308	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14
S16	2	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) and kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:14
S17	2	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and (network\$3 near5 (manag\$5 monitor\$3)) and (kalman near5 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/08 11:15
S18	19	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 07:43
S19	1	((media near5 control) "MAC") near10 layer \$3 same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) same filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 07:44

S21	1	"20080055158" and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 08:16
S22	1	"20080055158" and (filter\$3 adj3 kalman)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:04
S23	1	"20080055158" and (kalman)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:07
S24	1	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:34
S25	2	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) and kalman	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:35
S26	0	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and (MAC adj5 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:42
S27	0	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and ("MAC" adj5 filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:43

S28	13	((media near5 control) "MAC") near10 layer \$3) same ((web internet) near10 protocol) near30 (flow rout\$3 path\$3) same (network\$3 near5 (manag\$5 monitor\$3)) and ("MAC"with filter \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:43
S30	1	"20050201415" and ("MAC" with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 10:44
S31	1	"20050201415" and ("MAC" with filter\$3) and ((internet web) near5 flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:01
S32	0	("20080055158" "20050201415") and (protocol adj4 stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:06
S33	0	("20080055158" "20050201415") and (protocolwith stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S34	0	("20080055158" "20050201415") and (protocol with stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S35	0	("20080055158" "20050201415") and (stack)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07
S36	1	("20080055158" "20050201415") and (protocol same layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:07

S37	1	("20080055158" "20050201415") and (protocol with layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:08
S38	1	("20080055158" "20050201415") and (tcp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:38
S39	0	("20080055158" "20050201415") and (processor same utilization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S40	0	("20080055158" "20050201415") and ((processor memory link buffer port) same utilization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S41	2	("20080055158" "20050201415") and ((processor memory link buffer port) same utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S42	3	("20080055158" "20050201415") and ((processor memory link buffer port) nea5 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:42
S43	1	("20080055158" "20050201415") and ((processor memory link buffer port) near5 utiliz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:43
S44	1	("20080055158" "20050201415") and ((processor memory link buffer port) near5 (measur\$5 monitor \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:44

S45	1	("20080055158" "20050201415") and (frame with error)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:46
S46	1	("20080055158" "20050201415") and (rate near30 transmi \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:48
S47	0	("20080055158" "20050201415") and (roel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S48	0	("20080055158" "20050201415") and (role)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S49	3	("20080055158" "20050201415") and (hub switch rout23)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:50
S50	3	("20080055158" "20050201415") and (hub switch rout23) near30 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S51	1	("20080055158" "20050201415") and (hub switch rout23) near30 network near20 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S52	3	("20080055158" "20050201415") and (hub switch rout23) near20 device	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51

S53	4714199	("20080055158" "20050201415") and (hub switch rout23) near20 device function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S54	0	("20080055158" "20050201415") and (hub switch rout23) near20 device same function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S55	0	("20080055158" "20050201415") and (hub switch rout23) near20 device same purpose	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 11:51
S56	1	("20080055158" "20050201415") and (agent)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:02
S57	2	("20080055158" "20050201415") and (agent macro module)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:03
S58	1	("20080055158" "20050201415") and (agent macro)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/09 14:03
S59	2	"20080055158"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:33
S60	1	"20050201415" and ("MAC"with filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:36

S61	9007	Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:37
S62	334	(network\$3 near5 manag\$5) and Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:37
S63	682	(network\$3 near5 (manag\$5 monitor\$3)) and Kalman near10 filter\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:38
S64	58	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:39
S65	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same SNMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:40
S66	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) and SNMP	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:48
S67	5	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same analy \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:54

S68	18	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same (information data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:57
S69	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same (traffic folw)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:57
S70	1	(network\$3 near5 (manag\$5 monitor\$3)) and ((Kalman near10 filter\$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)) same (traffic flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 06:58
S71	0	(S59 S60) and (((Kalman near10 filter \$3) near20 (device apparatus (access\$3 adj3 (point station)) switch gateway router appliance)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 07:10
S72	1	(S59 S60) and (Kalman near10 filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/11 07:10

11/ 22/ 09 7:45:54 AM

C:\ Documents and Settings\ jjeangilles\ My Documents\ EAST\ Workspaces\ 10792325nov09. wsp